

H-TRAVERSE, VERSTELLBAR THSRR A-M



- » Gefertigt nach EN 13155
- » Einfache und robuste Bauweise
- » Starre Arbeitslänge
- » Verschiedene Kranaufnahmen und Lastaufnahmen möglich

Arbeitsbereich (m)	Artikel-Nr.	Preis Stück/€	Produktionszeit (Werktage)
TRAGFÄHIGKEIT 1 t			
1,0/0,5x1,0/0,5	47THSRRA-M 01,0-01,0-01,0	1.643,00	30
1,0/0,5x1,5/0,5	47THSRRA-M 01,0-01,0-01,5	1.738,00	30
1,0/0,5x2,0/0,5	47THSRRA-M 01,0-01,0-02,0	1.832,00	30
1,0/0,5x 2,5/1,0	47THSRRA-M 01,0-01,0-02,5	1.981,00	30
1,0/0,5x3,0/1,0	47THSRRA-M 01,0-01,0-03,0	2.276,00	30
1,0/0,5x3,5/1,0	47THSRRA-M 01,0-01,0-03,5	2.371,00	30
<hr/>			
2,0/0,5x1,0/0,5	47THSRRA-M 01,0 - 02,0 - 01,0	1.733,00	30
2,0/0,5x1,5/0,5	47THSRRA-M 01,0 - 02,0 - 01,5	1.828,00	30
2,0/0,5x2,0/0,5	47THSRRA-M 01,0 - 02,0 - 02,0	1.922,00	30
2,0/0,5x 2,5/1,0	47THSRRA-M 01,0 - 02,0 - 02,5	2.071,00	30
2,0/0,5x3,0/1,0	47THSRRA-M 01,0 - 02,0 - 03,0	2.166,00	30
2,0/0,5x3,5/1,0	47THSRRA-M 01,0 - 02,0 - 03,5	2.261,00	30
<hr/>			
3,0/1,0x1,0/0,5	47THSRRA-M 01,0 - 03,0 - 01,0	2.098,00	30
3,0/1,0x1,5/0,5	47THSRRA-M 01,0 - 03,0 - 01,5	2.192,00	30
3,0/1,0x2,0/0,5	47THSRRA-M 01,0 - 03,0 - 03,0	2.287,00	30
3,0/1,0x 2,5/1,0	47THSRRA-M 01,0 - 03,0 - 02,5	2.436,00	30
3,0/1,0x3,0/1,0	47THSRRA-M 01,0 - 03,0 - 03,0	2.531,00	30
3,0/1,0x3,5/1,0	47THSRRA-M 01,0 - 03,0 - 03,5	2.625,00	30
<hr/>			
4,0/1,5x1,0/0,5	47THSRRA-M 01,0 - 04,0 - 01,0	2.445,00	35
4,0/1,5x1,5/0,5	47THSRRA-M 01,0 - 04,0 - 01,5	2.540,00	35
4,0/1,5x2,0/0,5	47THSRRA-M 01,0 - 04,0 - 04,0	2.634,00	35
4,0/1,5x 2,5/1,0	47THSRRA-M 01,0 - 04,0 - 02,5	2.784,00	35
4,0/1,5x3,0/1,0	47THSRRA-M 01,0 - 04,0 - 04,0	2.878,00	35
4,0/1,5x3,5/1,0	47THSRRA-M 01,0 - 04,0 - 03,5	2.973,00	35
<hr/>			
4,5/1,5x1,0/0,5	47THSRRA-M 01,0 - 04,5 - 01,0	2.899,00	35
4,5/1,5x1,5/0,5	47THSRRA-M 01,0 - 04,5 - 01,5	2.994,00	35
4,5/1,5x2,0/0,5	47THSRRA-M 01,0 - 04,5 - 04,5	3.088,00	35
4,5/1,5x 2,5/1,0	47THSRRA-M 01,0 - 04,5 - 02,5	3.237,00	35
4,5/1,5x3,0/1,0	47THSRRA-M 01,0 - 04,5 - 04,5	3.332,00	35
4,5/1,5x3,5/1,0	47THSRRA-M 01,0 - 04,5 - 03,5	3.427,00	35
<hr/>			
5,0/2,0x1,0/0,5	47THSRRA-M 01,0 - 05,0 - 01,0	3.015,00	35
5,0/2,0x1,5/0,5	47THSRRA-M 01,0 - 05,0 - 01,5	3.109,00	35
5,0/2,0x2,0/0,5	47THSRRA-M 01,0 - 05,0 - 05,0	3.204,00	35
5,0/2,0x 2,5/1,0	47THSRRA-M 01,0 - 05,0 - 02,5	3.353,00	35
5,0/2,0x3,0/1,0	47THSRRA-M 01,0 - 05,0 - 05,0	3.448,00	35
5,0/2,0x3,5/1,0	47THSRRA-M 01,0 - 05,0 - 03,5	3.542,00	35
<hr/>			
6,0/2,5x1,0/0,5	47THSRRA-M 01,0 - 06,0 - 01,0	3.322,00	35
6,0/2,5x1,5/0,5	47THSRRA-M 01,0 - 06,0 - 01,5	3.416,00	35
6,0/2,5x2,0/0,5	47THSRRA-M 01,0 - 06,0 - 06,0	3.511,00	35
6,0/2,5x 2,5/1,0	47THSRRA-M 01,0 - 06,0 - 02,5	3.660,00	35
6,0/2,5x3,0/1,0	47THSRRA-M 01,0 - 06,0 - 06,0	3.755,00	35
6,0/2,5x3,5/1,0	47THSRRA-M 01,0 - 06,0 - 03,5	3.849,00	35



BERATUNG & BESTELLUNG

über unser Team
Lastaufnahmemittel:

+ 49 6021 40 27-200

© lam@philipp-gruppe.de

H-TRAVERSE, VERSTELLBAR THSRR A-M

Arbeitsbereich (m)	Artikel-Nr.	Preis Stück/€	Produktionszeit (Werktage)
TRAGFÄHIGKEIT 2 t			
1,0/0,5x1,0/0,5	47THSRRA-M 02,0-01,0-01,0	1.665,00	21
1,0/0,5x1,5/0,5	47THSRRA-M 02,0-01,0-01,5	1.760,00	21
1,0/0,5x2,0/0,5	47THSRRA-M 02,0-01,0-02,0	1.855,00	21
1,0/0,5x 2,5/1,0	47THSRRA-M 02,0-01,0-02,5	2.092,00	21
1,0/0,5x3,0/1,0	47THSRRA-M 02,0-01,0-03,0	2.207,00	21
1,0/0,5x3,5/1,0	47THSRRA-M 02,0-01,0-03,5	2.689,00	21
2,0/0,5x1,0/0,5	47THSRRA-M 02,0 - 02,0 - 01,0	1.845,00	21
2,0/0,5x1,5/0,5	47THSRRA-M 02,0 - 02,0 - 01,5	1.939,00	21
2,0/0,5x2,0/0,5	47THSRRA-M 02,0 - 02,0 - 02,0	2.034,00	21
2,0/0,5x 2,5/1,0	47THSRRA-M 02,0 - 02,0 - 02,5	2.271,00	21
2,0/0,5x3,0/1,0	47THSRRA-M 02,0 - 02,0 - 03,0	2.386,00	21
2,0/0,5x3,5/1,0	47THSRRA-M 02,0 - 02,0 - 03,5	2.868,00	21
3,0/1,0x1,0/0,5	47THSRRA-M 02,0 - 03,0 - 01,0	2.202,00	21
3,0/1,0x1,5/0,5	47THSRRA-M 02,0 - 03,0 - 01,5	2.297,00	21
3,0/1,0x2,0/0,5	47THSRRA-M 02,0 - 03,0 - 03,0	2.392,00	21
3,0/1,0x 2,5/1,0	47THSRRA-M 02,0 - 03,0 - 02,5	2.629,00	21
3,0/1,0x3,0/1,0	47THSRRA-M 02,0 - 03,0 - 03,0	2.744,00	21
3,0/1,0x3,5/1,0	47THSRRA-M 02,0 - 03,0 - 03,5	3.226,00	21
4,0/1,5x1,0/0,5	47THSRRA-M 02,0 - 04,0 - 01,0	2.398,00	30
4,0/1,5x1,5/0,5	47THSRRA-M 02,0 - 04,0 - 01,5	2.493,00	30
4,0/1,5x2,0/0,5	47THSRRA-M 02,0 - 04,0 - 03,0	2.588,00	30
4,0/1,5x 2,5/1,0	47THSRRA-M 02,0 - 04,0 - 02,5	2.825,00	30
4,0/1,5x3,0/1,0	47THSRRA-M 02,0 - 04,0 - 03,0	2.940,00	30
4,0/1,5x3,5/1,0	47THSRRA-M 02,0 - 04,0 - 03,5	3.422,00	30
4,5/1,5x1,0/0,5	47THSRRA-M 02,0 - 04,5 - 01,0	2.816,00	30
4,5/1,5x1,5/0,5	47THSRRA-M 02,0 - 04,5 - 01,5	2.910,00	30
4,5/1,5x2,0/0,5	47THSRRA-M 02,0 - 04,5 - 03,0	3.005,00	30
4,5/1,5x 2,5/1,0	47THSRRA-M 02,0 - 04,5 - 02,5	3.242,00	30
4,5/1,5x3,0/1,0	47THSRRA-M 02,0 - 04,5 - 03,0	3.357,00	30
4,5/1,5x3,5/1,0	47THSRRA-M 02,0 - 04,5 - 03,5	3.839,00	30
5,0/2,0x1,0/0,5	47THSRRA-M 02,0 - 05,0 - 01,0	2.888,00	30
5,0/2,0x1,5/0,5	47THSRRA-M 02,0 - 05,0 - 01,5	2.983,00	30
5,0/2,0x2,0/0,5	47THSRRA-M 02,0 - 05,0 - 03,0	3.078,00	30
5,0/2,0x 2,5/1,0	47THSRRA-M 02,0 - 05,0 - 02,5	3.315,00	30
5,0/2,0x3,0/1,0	47THSRRA-M 02,0 - 05,0 - 03,0	3.430,00	30
5,0/2,0x3,5/1,0	47THSRRA-M 02,0 - 05,0 - 03,5	3.912,00	30
6,0/2,5x1,0/0,5	47THSRRA-M 02,0 - 06,0 - 01,0	3.585,00	30
6,0/2,5x1,5/0,5	47THSRRA-M 02,0 - 06,0 - 01,5	3.680,00	30
6,0/2,5x2,0/0,5	47THSRRA-M 02,0 - 06,0 - 03,0	3.774,00	30
6,0/2,5x 2,5/1,0	47THSRRA-M 02,0 - 06,0 - 02,5	4.011,00	30
6,0/2,5x3,0/1,0	47THSRRA-M 02,0 - 06,0 - 03,0	4.126,00	30
6,0/2,5x3,5/1,0	47THSRRA-M 02,0 - 06,0 - 03,5	4.608,00	30



Nutzen Sie für Ihre
BESTELLUNG auch unser
Service-Online-Portal



H-TRAVERSE, VERSTELLBAR THSRR A-M

Arbeitsbereich (m)	Artikel-Nr.	Preis Stück/€	Produktionszeit (Werktage)
TRAGFÄHIGKEIT 3 t			
1,0/0,5x1,0/0,5	47THSRRRA-M 03,0-01,0-01,0	1.844,00	21
1,0/0,5x1,5/0,5	47THSRRRA-M 03,0-01,0-01,5	1.938,00	21
1,0/0,5x2,0/0,5	47THSRRRA-M 03,0-01,0-02,0	2.173,00	21
1,0/0,5x 2,5/1,0	47THSRRRA-M 03,0-01,0-02,5	2.291,00	21
1,0/0,5x3,0/1,0	47THSRRRA-M 03,0-01,0-03,0	2.972,00	21
1,0/0,5x3,5/1,0	47THSRRRA-M 03,0-01,0-03,5	3.217,00	21
2,0/0,5x1,0/0,5	47THSRRRA-M 03,0-02,0-01,0	2.032,00	21
2,0/0,5x1,5/0,5	47THSRRRA-M 03,0-02,0-01,5	2.126,00	21
2,0/0,5x2,0/0,5	47THSRRRA-M 03,0-02,0-02,0	2.361,00	21
2,0/0,5x 2,5/1,0	47THSRRRA-M 03,0-02,0-02,5	2.478,00	21
2,0/0,5x3,0/1,0	47THSRRRA-M 03,0-02,0-03,0	3.160,00	21
2,0/0,5x3,5/1,0	47THSRRRA-M 03,0-02,0-03,5	3.405,00	21
3,0/1,0x1,0/0,5	47THSRRRA-M 03,0-03,0-01,0	2.623,00	21
3,0/1,0x1,5/0,5	47THSRRRA-M 03,0-03,0-01,5	2.718,00	21
3,0/1,0x2,0/0,5	47THSRRRA-M 03,0-03,0-02,0	2.953,00	21
3,0/1,0x 2,5/1,0	47THSRRRA-M 03,0-03,0-02,5	3.070,00	21
3,0/1,0x3,0/1,0	47THSRRRA-M 03,0-03,0-03,0	3.552,00	21
3,0/1,0x3,5/1,0	47THSRRRA-M 03,0-03,0-03,5	3.797,00	21
4,0/1,5x1,0/0,5	47THSRRRA-M 03,0-04,0-01,0	3.009,00	30
4,0/1,5x1,5/0,5	47THSRRRA-M 03,0-04,0-01,5	3.104,00	30
4,0/1,5x2,0/0,5	47THSRRRA-M 03,0-04,0-02,0	3.338,00	30
4,0/1,5x 2,5/1,0	47THSRRRA-M 03,0-04,0-02,5	3.456,00	30
4,0/1,5x3,0/1,0	47THSRRRA-M 03,0-04,0-03,0	3.938,00	30
4,0/1,5x3,5/1,0	47THSRRRA-M 03,0-04,0-03,5	4.182,00	30
4,5/1,5x1,0/0,5	47THSRRRA-M 03,0-04,5-01,0	3.410,00	30
4,5/1,5x1,5/0,5	47THSRRRA-M 03,0-04,5-01,5	3.505,00	30
4,5/1,5x2,0/0,5	47THSRRRA-M 03,0-04,5-02,0	3.740,00	30
4,5/1,5x 2,5/1,0	47THSRRRA-M 03,0-04,5-02,5	3.857,00	30
4,5/1,5x3,0/1,0	47THSRRRA-M 03,0-04,5-03,0	4.339,00	30
4,5/1,5x3,5/1,0	47THSRRRA-M 03,0-04,5-03,5	4.283,00	30
5,0/2,0x1,0/0,5	47THSRRRA-M 03,0-05,0-01,0	3.662,00	30
5,0/2,0x1,5/0,5	47THSRRRA-M 03,0-05,0-01,5	3.757,00	30
5,0/2,0x2,0/0,5	47THSRRRA-M 03,0-05,0-02,0	3.992,00	30
5,0/2,0x 2,5/1,0	47THSRRRA-M 03,0-05,0-02,5	4.109,00	30
5,0/2,0x3,0/1,0	47THSRRRA-M 03,0-05,0-03,0	4.591,00	30
5,0/2,0x3,5/1,0	47THSRRRA-M 03,0-05,0-03,5	4.836,00	30
6,0/2,5x1,0/0,5	47THSRRRA-M 03,0-06,0-01,0	4.149,00	30
6,0/2,5x1,5/0,5	47THSRRRA-M 03,0-06,0-01,5	4.244,00	30
6,0/2,5x2,0/0,5	47THSRRRA-M 03,0-06,0-02,0	4.478,00	30
6,0/2,5x 2,5/1,0	47THSRRRA-M 03,0-06,0-02,5	4.596,00	30
6,0/2,5x3,0/1,0	47THSRRRA-M 03,0-06,0-03,0	5.078,00	30
6,0/2,5x3,5/1,0	47THSRRRA-M 03,0-06,0-03,5	5.322,00	30



H-TRAVERSE, VERSTELLBAR THSRR A-M

Arbeitsbereich (m)	Artikel-Nr.	Preis Stück/€	Produktionszeit (Werktage)
TRAGFÄHIGKEIT 5 t			
1,0/0,5x1,0/0,5	47THSRRRA-M 05,0-01,0-01,0	2.345,00	21
1,0/0,5x1,5/0,5	47THSRRRA-M 05,0-01,0-01,5	2.458,00	21
1,0/0,5x2,0/0,5	47THSRRRA-M 05,0-01,0-02,0	2.845,00	21
1,0/0,5x 2,5/1,0	47THSRRRA-M 05,0-01,0-02,5	3.211,00	21
1,0/0,5x3,0/1,0	47THSRRRA-M 05,0-01,0-03,0	3.364,00	21
1,0/0,5x3,5/1,0	47THSRRRA-M 05,0-01,0-03,5	3.622,00	21
2,0/0,5x1,0/0,5	47THSRRRA-M 05,0-02,0-01,0	2.459,00	21
2,0/0,5x1,5/0,5	47THSRRRA-M 05,0-02,0-01,5	2.571,00	21
2,0/0,5x2,0/0,5	47THSRRRA-M 05,0-02,0-02,0	2.958,00	21
2,0/0,5x 2,5/1,0	47THSRRRA-M 05,0-02,0-02,5	3.325,00	21
2,0/0,5x3,0/1,0	47THSRRRA-M 05,0-02,0-03,0	3.678,00	21
2,0/0,5x3,5/1,0	47THSRRRA-M 05,0-02,0-03,5	3.935,00	21
3,0/1,0x1,0/0,5	47THSRRRA-M 05,0-03,0-01,0	2.774,00	21
3,0/1,0x1,5/0,5	47THSRRRA-M 05,0-03,0-01,5	2.887,00	21
3,0/1,0x2,0/0,5	47THSRRRA-M 05,0-03,0-02,0	3.274,00	21
3,0/1,0x 2,5/1,0	47THSRRRA-M 05,0-03,0-02,5	3.531,00	21
3,0/1,0x3,0/1,0	47THSRRRA-M 05,0-03,0-03,0	3.994,00	21
3,0/1,0x3,5/1,0	47THSRRRA-M 05,0-03,0-03,5	4.251,00	21
4,0/1,5x1,0/0,5	47THSRRRA-M 05,0-04,0-01,0	3.534,00	30
4,0/1,5x1,5/0,5	47THSRRRA-M 05,0-04,0-01,5	3.647,00	30
4,0/1,5x2,0/0,5	47THSRRRA-M 05,0-04,0-02,0	4.034,00	30
4,0/1,5x 2,5/1,0	47THSRRRA-M 05,0-04,0-02,5	4.401,00	30
4,0/1,5x3,0/1,0	47THSRRRA-M 05,0-04,0-03,0	4.554,00	30
4,0/1,5x3,5/1,0	47THSRRRA-M 05,0-04,0-03,5	4.811,00	30
4,5/1,5x1,0/0,5	47THSRRRA-M 05,0-04,5-01,0	3.653,00	30
4,5/1,5x1,5/0,5	47THSRRRA-M 05,0-04,5-01,5	3.765,00	30
4,5/1,5x2,0/0,5	47THSRRRA-M 05,0-04,5-02,0	4.153,00	30
4,5/1,5x 2,5/1,0	47THSRRRA-M 05,0-04,5-02,5	4.519,00	30
4,5/1,5x3,0/1,0	47THSRRRA-M 05,0-04,5-03,0	4.672,00	30
4,5/1,5x3,5/1,0	47THSRRRA-M 05,0-04,5-03,5	4.929,00	30
5,0/2,0x1,0/0,5	47THSRRRA-M 05,0-05,0-01,0	3.951,00	30
5,0/2,0x1,5/0,5	47THSRRRA-M 05,0-05,0-01,5	4.063,00	30
5,0/2,0x2,0/0,5	47THSRRRA-M 05,0-05,0-02,0	4.450,00	30
5,0/2,0x 2,5/1,0	47THSRRRA-M 05,0-05,0-02,5	4.817,00	30
5,0/2,0x3,0/1,0	47THSRRRA-M 05,0-05,0-03,0	4.970,00	30
5,0/2,0x3,5/1,0	47THSRRRA-M 05,0-05,0-03,5	5.227,00	30
6,0/2,5x1,0/0,5	47THSRRRA-M 05,0-06,0-01,0	4.817,00	30
6,0/2,5x1,5/0,5	47THSRRRA-M 05,0-06,0-01,5	4.930,00	30
6,0/2,5x2,0/0,5	47THSRRRA-M 05,0-06,0-02,0	5.317,00	30
6,0/2,5x 2,5/1,0	47THSRRRA-M 05,0-06,0-02,5	5.683,00	30
6,0/2,5x3,0/1,0	47THSRRRA-M 05,0-06,0-03,0	5.836,00	30
6,0/2,5x3,5/1,0	47THSRRRA-M 05,0-06,0-03,5	6.094,00	30



Nutzen Sie für Ihre
BESTELLUNG auch unser
Service-Online-Portal



H-TRAVERSE, VERSTELLBAR THSRR A-M

Arbeitsbereich (m)	Artikel-Nr.	Preis Stück/€	Produktionszeit (Werktage)
TRAGFÄHIGKEIT 7,5 t			
1,0/0,5x1,0/0,5	47THSRRRA-M 07,5-01,0-01,0	2.647,00	21
1,0/0,5x1,5/0,5	47THSRRRA-M 07,5-01,0-01,5	2.750,00	21
1,0/0,5x2,0/0,5	47THSRRRA-M 07,5-01,0-02,0	3.173,00	21
1,0/0,5x 2,5/1,0	47THSRRRA-M 07,5-01,0-02,5	3.574,00	21
1,0/0,5x3,0/1,0	47THSRRRA-M 07,5-01,0-03,0	4.055,00	21
1,0/0,5x3,5/1,0	47THSRRRA-M 07,5-01,0-03,5	4.682,00	21
2,0/0,5x1,0/0,5	47THSRRRA-M 07,5-02,0-01,0	3.092,00	21
2,0/0,5x1,5/0,5	47THSRRRA-M 07,5-02,0-01,5	3.195,00	21
2,0/0,5x2,0/0,5	47THSRRRA-M 07,5-02,0-02,0	3.618,00	21
2,0/0,5x 2,5/1,0	47THSRRRA-M 07,5-02,0-02,5	3.897,00	21
2,0/0,5x3,0/1,0	47THSRRRA-M 07,5-02,0-03,0	4.500,00	21
2,0/0,5x3,5/1,0	47THSRRRA-M 07,5-02,0-03,5	5.127,00	21
3,0/1,0x1,0/0,5	47THSRRRA-M 07,5-03,0-01,0	3.505,00	21
3,0/1,0x1,5/0,5	47THSRRRA-M 07,5-03,0-01,5	3.608,00	21
3,0/1,0x2,0/0,5	47THSRRRA-M 07,5-03,0-02,0	4.031,00	21
3,0/1,0x 2,5/1,0	47THSRRRA-M 07,5-03,0-02,5	4.432,00	21
3,0/1,0x3,0/1,0	47THSRRRA-M 07,5-03,0-03,0	4.913,00	21
3,0/1,0x3,5/1,0	47THSRRRA-M 07,5-03,0-03,5	5.540,00	21
4,0/1,5x1,0/0,5	47THSRRRA-M 07,5-04,0-01,0	4.401,00	30
4,0/1,5x1,5/0,5	47THSRRRA-M 07,5-04,0-01,5	4.504,00	30
4,0/1,5x2,0/0,5	47THSRRRA-M 07,5-04,0-02,0	4.927,00	30
4,0/1,5x 2,5/1,0	47THSRRRA-M 07,5-04,0-02,5	5.329,00	30
4,0/1,5x3,0/1,0	47THSRRRA-M 07,5-04,0-03,0	5.509,00	30
4,0/1,5x3,5/1,0	47THSRRRA-M 07,5-04,0-03,5	6.137,00	30
4,5/1,5x1,0/0,5	47THSRRRA-M 07,5-04,5-01,0	4.513,00	30
4,5/1,5x1,5/0,5	47THSRRRA-M 07,5-04,5-01,5	4.616,00	30
4,5/1,5x2,0/0,5	47THSRRRA-M 07,5-04,5-02,0	5.038,00	30
4,5/1,5x 2,5/1,0	47THSRRRA-M 07,5-04,5-02,5	5.440,00	30
4,5/1,5x3,0/1,0	47THSRRRA-M 07,5-04,5-03,0	5.621,00	30
4,5/1,5x3,5/1,0	47THSRRRA-M 07,5-04,5-03,5	6.248,00	30
5,0/2,0x1,0/0,5	47THSRRRA-M 07,5-05,0-01,0	4.931,00	30
5,0/2,0x1,5/0,5	47THSRRRA-M 07,5-05,0-01,5	5.034,00	30
5,0/2,0x2,0/0,5	47THSRRRA-M 07,5-05,0-02,0	5.456,00	30
5,0/2,0x 2,5/1,0	47THSRRRA-M 07,5-05,0-02,5	5.858,00	30
5,0/2,0x3,0/1,0	47THSRRRA-M 07,5-05,0-03,0	6.039,00	30
5,0/2,0x3,5/1,0	47THSRRRA-M 07,5-05,0-03,5	6.666,00	30
6,0/2,5x1,0/0,5	47THSRRRA-M 07,5-06,0-01,0	5.692,00	30
6,0/2,5x1,5/0,5	47THSRRRA-M 07,5-06,0-01,5	5.796,00	30
6,0/2,5x2,0/0,5	47THSRRRA-M 07,5-06,0-02,0	6.218,00	30
6,0/2,5x 2,5/1,0	47THSRRRA-M 07,5-06,0-02,5	6.620,00	30
6,0/2,5x3,0/1,0	47THSRRRA-M 07,5-06,0-03,0	6.800,00	30
6,0/2,5x3,5/1,0	47THSRRRA-M 07,5-06,0-03,5	7.428,00	30



BERATUNG &
BESTELLUNG
über unser Team
Lastaufnahmemittel:
☎ + 49 6021 40 27-200
✉ lam@philipp-gruppe.de

H-TRAVERSE, VERSTELLBAR THSRR A-M

Arbeitsbereich (m)	Artikel-Nr.	Preis Stück/€	Produktionszeit (Werktage)
TRAGFÄHIGKEIT 10 t			
1,0/0,5x1,0/0,5	47THSRRRA-M 10,0-01,0-01,0	2.827,00	21
1,0/0,5x1,5/0,5	47THSRRRA-M 10,0-01,0-01,5	3.124,00	21
1,0/0,5x2,0/0,5	47THSRRRA-M 10,0-01,0-02,0	3.486,00	21
1,0/0,5x 2,5/1,0	47THSRRRA-M 10,0-01,0-02,5	3.938,00	21
1,0/0,5x3,0/1,0	47THSRRRA-M 10,0-01,0-03,0	4.149,00	21
1,0/0,5x3,5/1,0	47THSRRRA-M 10,0-01,0-03,5	4.750,00	21
<hr/>			
2,0/0,5x1,0/0,5	47THSRRRA-M 10,0-02,0-01,0	3.218,00	21
2,0/0,5x1,5/0,5	47THSRRRA-M 10,0-02,0-01,5	3.515,00	21
2,0/0,5x2,0/0,5	47THSRRRA-M 10,0-02,0-02,0	3.877,00	21
2,0/0,5x 2,5/1,0	47THSRRRA-M 10,0-02,0-02,5	4.329,00	21
2,0/0,5x3,0/1,0	47THSRRRA-M 10,0-02,0-03,0	4.840,00	21
2,0/0,5x3,5/1,0	47THSRRRA-M 10,0-02,0-03,5	5.441,00	21
<hr/>			
3,0/1,0x1,0/0,5	47THSRRRA-M 10,0-03,0-01,0	3.768,00	21
3,0/1,0x1,5/0,5	47THSRRRA-M 10,0-03,0-01,5	4.065,00	21
3,0/1,0x2,0/0,5	47THSRRRA-M 10,0-03,0-02,0	4.427,00	21
3,0/1,0x 2,5/1,0	47THSRRRA-M 10,0-03,0-02,5	4.879,00	21
3,0/1,0x3,0/1,0	47THSRRRA-M 10,0-03,0-03,0	5.390,00	21
3,0/1,0x3,5/1,0	47THSRRRA-M 10,0-03,0-03,5	5.991,00	21
<hr/>			
4,0/1,5x1,0/0,5	47THSRRRA-M 10,0-04,0-01,0	4.664,00	30
4,0/1,5x1,5/0,5	47THSRRRA-M 10,0-04,0-01,5	4.961,00	30
4,0/1,5x2,0/0,5	47THSRRRA-M 10,0-04,0-02,0	5.323,00	30
4,0/1,5x 2,5/1,0	47THSRRRA-M 10,0-04,0-02,5	5.775,00	30
4,0/1,5x3,0/1,0	47THSRRRA-M 10,0-04,0-03,0	5.986,00	30
4,0/1,5x3,5/1,0	47THSRRRA-M 10,0-04,0-03,5	6.586,00	30
<hr/>			
4,5/1,5x1,0/0,5	47THSRRRA-M 10,0-04,5-01,0	5.018,00	30
4,5/1,5x1,5/0,5	47THSRRRA-M 10,0-04,5-01,5	5.315,00	30
4,5/1,5x2,0/0,5	47THSRRRA-M 10,0-04,5-02,0	5.676,00	30
4,5/1,5x 2,5/1,0	47THSRRRA-M 10,0-04,5-02,5	6.128,00	30
4,5/1,5x3,0/1,0	47THSRRRA-M 10,0-04,5-03,0	6.340,00	30
4,5/1,5x3,5/1,0	47THSRRRA-M 10,0-04,5-03,5	6.940,00	30
<hr/>			
5,0/2,0x1,0/0,5	47THSRRRA-M 10,0-05,0-01,0	5.217,00	30
5,0/2,0x1,5/0,5	47THSRRRA-M 10,0-05,0-01,5	5.513,00	30
5,0/2,0x2,0/0,5	47THSRRRA-M 10,0-05,0-02,0	5.875,00	30
5,0/2,0x 2,5/1,0	47THSRRRA-M 10,0-05,0-02,5	6.327,00	30
5,0/2,0x3,0/1,0	47THSRRRA-M 10,0-05,0-03,0	6.539,00	30
5,0/2,0x3,5/1,0	47THSRRRA-M 10,0-05,0-03,5	7.139,00	30
<hr/>			
6,0/2,5x1,0/0,5	47THSRRRA-M 10,0-06,0-01,0	6.034,00	30
6,0/2,5x1,5/0,5	47THSRRRA-M 10,0-06,0-01,5	6.331,00	30
6,0/2,5x2,0/0,5	47THSRRRA-M 10,0-06,0-02,0	6.693,00	30
6,0/2,5x 2,5/1,0	47THSRRRA-M 10,0-06,0-02,5	7.145,00	30
6,0/2,5x3,0/1,0	47THSRRRA-M 10,0-06,0-03,0	7.356,00	30
6,0/2,5x3,5/1,0	47THSRRRA-M 10,0-06,0-03,5	7.957,00	30



Nutzen Sie für Ihre
BESTELLUNG auch unser
Service-Online-Portal



H-TRAVERSE, VERSTELLBAR THSRR A-M

Arbeitsbereich (m)	Artikel-Nr.	Preis Stück/€	Produktionszeit (Werktage)
TRAGFÄHIGKEIT 15 t			
2,0/0,5x1,0/0,5	47THSRRRA-M 15,0-02,0-01,0	4.116,00	21
2,0/0,5x1,5/0,5	47THSRRRA-M 15,0-02,0-01,5	4.632,00	21
2,0/0,5x2,0/0,5	47THSRRRA-M 15,0-02,0-02,0	5.052,00	21
2,0/0,5x 2,5/1,0	47THSRRRA-M 15,0-02,0-02,5	5.590,00	21
2,0/0,5x3,0/1,0	47THSRRRA-M 15,0-02,0-03,0	5.923,00	21
2,0/0,5x3,5/1,0	47THSRRRA-M 15,0-02,0-03,5	6.505,00	21
3,0/1,0x1,0/0,5	47THSRRRA-M 15,0-03,0-01,0	4.713,00	21
3,0/1,0x1,5/0,5	47THSRRRA-M 15,0-03,0-01,5	5.228,00	21
3,0/1,0x2,0/0,5	47THSRRRA-M 15,0-03,0-02,0	5.648,00	21
3,0/1,0x 2,5/1,0	47THSRRRA-M 15,0-03,0-02,5	6.186,00	21
3,0/1,0x3,0/1,0	47THSRRRA-M 15,0-03,0-03,0	6.520,00	21
3,0/1,0x3,5/1,0	47THSRRRA-M 15,0-03,0-03,5	7.102,00	21
4,0/1,5x1,0/0,5	47THSRRRA-M 15,0-04,0-01,0	5.498,00	30
4,0/1,5x1,5/0,5	47THSRRRA-M 15,0-04,0-01,5	6.013,00	30
4,0/1,5x2,0/0,5	47THSRRRA-M 15,0-04,0-02,0	6.434,00	30
4,0/1,5x 2,5/1,0	47THSRRRA-M 15,0-04,0-02,5	6.972,00	30
4,0/1,5x3,0/1,0	47THSRRRA-M 15,0-04,0-03,0	7.305,00	30
4,0/1,5x3,5/1,0	47THSRRRA-M 15,0-04,0-03,5	7.887,00	30
4,5/1,5x1,0/0,5	47THSRRRA-M 15,0-04,5-01,0	5.821,00	30
4,5/1,5x1,5/0,5	47THSRRRA-M 15,0-04,5-01,5	6.336,00	30
4,5/1,5x2,0/0,5	47THSRRRA-M 15,0-04,5-02,0	6.757,00	30
4,5/1,5x 2,5/1,0	47THSRRRA-M 15,0-04,5-02,5	7.295,00	30
4,5/1,5x3,0/1,0	47THSRRRA-M 15,0-04,5-03,0	7.628,00	30
4,5/1,5x3,5/1,0	47THSRRRA-M 15,0-04,5-03,5	8.210,00	30
5,0/2,0x1,0/0,5	47THSRRRA-M 15,0-05,0-01,0	6.211,00	30
5,0/2,0x1,5/0,5	47THSRRRA-M 15,0-05,0-01,5	6.727,00	30
5,0/2,0x2,0/0,5	47THSRRRA-M 15,0-05,0-02,0	7.147,00	30
5,0/2,0x 2,5/1,0	47THSRRRA-M 15,0-05,0-02,5	7.685,00	30
5,0/2,0x3,0/1,0	47THSRRRA-M 15,0-05,0-03,0	8.018,00	30
5,0/2,0x3,5/1,0	47THSRRRA-M 15,0-05,0-03,5	8.600,00	30
6,0/2,5x1,0/0,5	47THSRRRA-M 15,0-06,0-01,0	7.298,00	30
6,0/2,5x1,5/0,5	47THSRRRA-M 15,0-06,0-01,5	7.813,00	30
6,0/2,5x2,0/0,5	47THSRRRA-M 15,0-06,0-02,0	8.234,00	30
6,0/2,5x 2,5/1,0	47THSRRRA-M 15,0-06,0-02,5	8.772,00	30
6,0/2,5x3,0/1,0	47THSRRRA-M 15,0-06,0-03,0	9.105,00	30
6,0/2,5x3,5/1,0	47THSRRRA-M 15,0-06,0-03,5	9.687,00	30



BERATUNG & BESTELLUNG
über unser Team
Lastaufnahmemittel:
☎ + 49 6021 40 27-200
✉ lam@philipp-gruppe.de

H-TRAVERSE, VERSTELLBAR THSRR A-M

Arbeitsbereich (m)	Artikel-Nr.	Preis Stück/€	Produktionszeit (Werktage)
TRAGFÄHIGKEIT 20 t			
2,0/0,5x1,0/0,5	47THSRRRA-M 20,0-02,0-01,0	5.035,00	21
2,0/0,5x1,5/0,5	47THSRRRA-M 20,0-02,0-01,5	5.401,00	21
2,0/0,5x2,0/0,5	47THSRRRA-M 20,0-02,0-02,0	5.857,00	21
2,0/0,5x 2,5/1,0	47THSRRRA-M 20,0-02,0-02,5	6.380,00	21
2,0/0,5x3,0/1,0	47THSRRRA-M 20,0-02,0-03,0	7.016,00	21
2,0/0,5x3,5/1,0	47THSRRRA-M 20,0-02,0-03,5	7.403,00	21
3,0/1,0x1,0/0,5	47THSRRRA-M 20,0-03,0-01,0	5.840,00	21
3,0/1,0x1,5/0,5	47THSRRRA-M 20,0-03,0-01,5	6.206,00	21
3,0/1,0x2,0/0,5	47THSRRRA-M 20,0-03,0-02,0	6.661,00	21
3,0/1,0x 2,5/1,0	47THSRRRA-M 20,0-03,0-02,5	7.184,00	21
3,0/1,0x3,0/1,0	47THSRRRA-M 20,0-03,0-03,0	7.820,00	21
3,0/1,0x3,5/1,0	47THSRRRA-M 20,0-03,0-03,5	8.207,00	21
4,0/1,5x1,0/0,5	47THSRRRA-M 20,0-04,0-01,0	6.697,00	30
4,0/1,5x1,5/0,5	47THSRRRA-M 20,0-04,0-01,5	7.063,00	30
4,0/1,5x2,0/0,5	47THSRRRA-M 20,0-04,0-02,0	7.518,00	30
4,0/1,5x 2,5/1,0	47THSRRRA-M 20,0-04,0-02,5	8.042,00	30
4,0/1,5x3,0/1,0	47THSRRRA-M 20,0-04,0-03,0	8.678,00	30
4,0/1,5x3,5/1,0	47THSRRRA-M 20,0-04,0-03,5	9.065,00	30
4,5/1,5x1,0/0,5	47THSRRRA-M 20,0-04,5-01,0	7.161,00	30
4,5/1,5x1,5/0,5	47THSRRRA-M 20,0-04,5-01,5	7.527,00	30
4,5/1,5x2,0/0,5	47THSRRRA-M 20,0-04,5-02,0	7.983,00	30
4,5/1,5x 2,5/1,0	47THSRRRA-M 20,0-04,5-02,5	8.506,00	30
4,5/1,5x3,0/1,0	47THSRRRA-M 20,0-04,5-03,0	9.142,00	30
4,5/1,5x3,5/1,0	47THSRRRA-M 20,0-04,5-03,5	9.529,00	30



Nutzen Sie für Ihre
BESTELLUNG auch unser
Service-Online-Portal

